00000517



SAFETY DATA SHEET

Well-Worth Products, Inc. 180 Dutton St. Buffalo, NY, 14211 USA

PRODUCT: Chain Gang - 16 oz.

Section 01: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

180 Dutton Ave. Buffalo, NY USA 14211 wellworthproducts.com Tel: 800-890-7935 Fax: 716-597-0217 24 hour emergency telephone number Recommended Use Chemical Family
--

Section 02: HAZARDS IDENTIFICATION

Hazard Classification:			
Physical Hazards	Gases Under Pressure - Compressed gas. Flammable Aerosols - Category 2.		
Health Hazards	Aspiration Hazard - Category 1. Specific Target Organ Toxicity, Single Exposure - Category 3. Skin Irritation - Category 2. Eye Damage/Irritation - Category 2B.		
Environmental Hazards	Not Člassified.		
Label Elements:	DANGED		
Signal Word Hazard Statement	DANGER. Flammable aerosol. Pressurized container: may burst if heated. May be fatal if swallowed		
	and enters airways. May cause drowsiness or dizziness. Causes skin irritation. Causes eye irritation.		
Precautionary Statements:	interiori.		
Prevention	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves.		
Response	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER if you feel unwell. IF ON SKIN: Wash with plenty of soap and water . If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF SWALLOWED: Immediately call a POISON CENTER. Do NOT induce vomiting. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
Storage	Protect from sunlight. Do not expose to temperatures exceeding 50°C /122°F. Store in a		
Disposal	well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/ container in accordance with local/regional/national/international		
Disposal	regulations.		
Hazard(s) not otherwise classified (HNOC)	None Known.		

Section 03: COMPOSITION/INFORMATION ON INGREDIENTS		
Hazardous Ingredients	CAS #	Wt. %
Petroleum Hydrocarbon	mix	60-100
Mineral Spirits	8052-41-3	5-10
Propane	74-98-6	7-13
Isobutane	75-28-5	5-10

CODE: 5008

PRODUCT: Chain Gang - 16 oz.

CODE: 5008

Section 04: FIRST AID MEASURES

Inhalation Skin Contact Eye Contact Ingestion Most important symptoms/effects, acute and delayed	contact with eyes may cause temporary irritation. Vapors have a narcotic effect and may
	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Direct
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. In case of shortness of breath give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Section 05: FIRE FIGHTING MEASURES

Suitable Extinguishing Media Unsuitable Extinguishing Media Specific Hazards Arising from the Chemical.	Do not use water jet as an extinguisher, as this will spread the fire.
Special Protective Equipment and Precautions for Firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
General Fire Hazards	Extremely flammable aerosol.

Section 06: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 08).
Methods and Materials for Containment and Cleaning Up	Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local/national regulations (see section 13). Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.
Environmental Precautions	Keep out of drains, sewers, ditches, and waterways. Minimize use of water to prevent environmental contamination.

Section 07: HANDLING AND STORAGE

Precautions for Safe Handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames.
Conditions for Safe Storage including any Incompatibilities	Avoid contact with eyes, skin, and clothing. Avoid breathing vapour of this product. Avoid contact with skin and eyes. Avoid prolonged exposure. Use in well-ventilated areas. Store locked up. Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C (122°F). Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store away from incompatible materials (see Section 10).

Section 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

Ingredients	ACG TWA	GIH TLV STEL	OSH PEL	IA PEL STEL	NIOSH REL
Petroleum Hydrocarbon	Not available	Not available	Not available	Not available	Not available
Mineral Spirits	100 ppm	Not available	500 ppm	Not available	350 mg/m3
Propane	2,500 ppm	Not available	1,000 ppm	Not available	1,000 ppm
Isobutane	800 ppm	1000 ppm	800 ppm	Not available	800 ppm (TWA)
Individual Protection Measures: Eye/Face Protection		Local exhaust ventilation required to maintain the point of use below the Threshold Limit Value if unprotected personnel are involved. Do not get in eyes. Wear safety glasses with side-shields. Chemical resistant gloves are recommended. Avoid contact with the skin. Wear appropriate chemical resistant clothing.			
Respiratory Protection		Use dust and mist resp			

PRODUCT: Chain Gang - 16 oz.

CODE: 5008

Section 08: EXPOSURE CONTROLS / PERSONAL PROTECTION

Thermal Hazards..... General Hygiene Considerations.....

None Known. When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 09: PHYSICAL AND CHEMICAL PROPERTIES

Form Physical Appearance Odor Odor Threshold (ppm) Specific Gravity Aerosol Vapour Pressure (psig, 21°C) Vapour Density (Air=1) pH Boiling Point liquid (°C)	Hydrocarbons. N/A. 0.870-0.890. 70-90 . Heavier than air.
Melting/Freezing Point (°C)	N/A.
Flash Point (°C), Method	Closed cup: -83.15 °C (-117.7 °F). (For propellant).
Flashback	N/A.
Evaporation Rate (n-Butyl Acetate = 1)	Slow.
VOC Content.	N/A.
Solubility in water	Nil.
Aerosol Flame Projection	No data.
Auto Ignition Temperature (°C)	460°C (860°F). (For propellant).
Lower Flammable Limit (% Vol)	1.8. (For propellant).
Upper Flammable Limit (% Vol)	9.5. (For propellant).
Coefficient of Water/Oil Distribution	N/A.
Viscosity	Very fluid.

Section 10: STABILITY AND REACTIVITY

Chemical Stability Possibility of Hazardous Reactions	Will not occur. Avoid sources of heat and flame, and electrostatic charge. Strong oxidizing agents. Strong acids.
--	---

Section 11: TOXICOLOGICAL INFORMATION

Ingredients	LC50	LD50
	Not available 3500 ppm (4hr,rat)	Not available >5000 mg/kg (rat - oral)
	>800,000 ppm (15 min,Rat)	Not available
-	658 mg/L (4hrs,Rat)	Not available
Information on Likely Routes of Exposur Routes of entry - Inhalation Routes of entry - Skin & Eye Routes of entry - Ingestion Routes of entry - Skin Absorption Symptoms Related to the Physical, Che and Toxicological Characteristics Acute Toxicity Skin Corrosion/Irritation Respiratory or Skin Sensitization Germ Cell Mutagenicity Carcinogenicity Reproductive Toxicity Specific Target Organ Toxicity - Single . Exposure Specific Target Organ Toxicity - Repeat Exposure Aspiration Hazard Chronic Effects	re: Yes. Yes. Yes. Yes. Yes. Mical Harmful or fatal if swallowed. Causes skin irritation. Causes eye irritation. May cause sensitization by skin contact. May cause sensitization by skin contact. No data available to indicate product or an mutagenic. This product is not considered to be a card Contains no ingredient listed as toxic to re Specific target organ toxicity single expose dizziness. ed No data available . Mo data available . Specific solvents may be absorbed into the	production. The Category 3. May cause drowsiness and g or subsequent vomiting may cause chemical be body by inhalation and ingestion and cause h, including the brain. Frequent or prolonged

SAFETY DATA SHEET

PRODUCT: Chain Gang - 16 oz.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity	. May be dangerous for the environment. No data is available on the product itself. Should not be released into the environment.
Persistence and degradability Bioaccumulation Potential Mobility in Soil Other Adverse Effects	 The product itself has not been tested. The product itself has not been tested. The product itself has not been tested.

Section 13: DISPOSAL CONSIDERATIONS

Appropriate Disposal Methods...... This material and its container must be disposed of as hazardous waste. Avoid release to the environment. Spilled material and water rinses are classified as chemical waste and must be disposed of in accordance with current local, provincial and federal regulations. Contents under pressure. Do not puncture, incinerate or expose to heat, even when empty.

Section 14: TRANSPORT INFORMATION

TDG (Canada- Road)	AEROSOLS, Class 2.1, UN1950.
	AEROSOLS, Class 2.1, UN1950, LTD. QTY. OR ORM-D.
IMDG (International- Marine)	AEROSOLS, Class 2.1, UN1950.
IATA (International- Air)	AEROSOLS, Class 2.1, UN1950, LTD QTY.

Section 15: REGULATORY INFORMATION

Canada Regulations:	WHMIS Classification. A: Compressed gas. B5: Flammable Aerosol. D2B: Material causing other toxic Materials.
(CEPA)	All ingredients listed appear on the Domestic Substances List (DSL).
ÙS Regulations	Environmental Protection Act: Constituents of this product are included on the TSCA inventory.
OSHA	This product is considered hazardous under the Federal OSHA hazard communication standard.
California Proposition 65	This product does not contain any chemical(s) known to the state of California to cause cancer or reproductivity toxicity.

Section 16: OTHER INFORMATION

Disclaimer	The information contained herin is based on data considered accurate. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. The SDS provider assumes no responsibility for personal injury or property damage to vendees or users or third parties, caused by the material. Such vendees or users assume all risks with the use of the material. This product has been classified in accordance with the hazard criteria of the CPR and the SDS contains all the information required by the CPR. THIS SDS IS VALID FOR THREE YEARS.
Abbreviations	ACGIH: American Conference of Governmental Industrial Hygienists; CAS: Chemical Abstract Service; NIOSH: National Institute for Occupational Safety and Health, OSHA: Occupational Safety and Health Administration- USA; TSCA: Toxic Substances Control Act 1976-USA; PEL: Permissible Exposure Limit; REL: Recommended Exposure Limit; TLV: Threshold Limit Value; VOC: Volatile Organic Content; WHIMIS: Workplace Hazardous Materials Information System.
Prepared by Preparation Date	Regulatory Affairs

CODE: 5008